



January 19, 2024

Michael Ferraro  
OHM BOCES Utica City School District  
320 Elizabeth St.  
Utica, NY 13501

RE: Project: HUGHES ELEMENTARY 1/19  
Pace Project No.: 70284327

Dear Michael Ferraro:

Enclosed are the analytical results for sample(s) received by the laboratory on January 16, 2024. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Melville

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Jack M. Germano  
jack.germano@pacelabs.com  
516-370-6012  
Project Manager

Enclosures

cc: Erica Molina, OHM BOCES Utica City School District  
OHM BOCES Safety Services, OHM BOCES Utica City  
School District  
Tiffany Service, OHM BOCES Utica City School District



## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## CERTIFICATIONS

Project: HUGHES ELEMENTARY 1/19

Pace Project No.: 70284327

---

### **Pace Analytical Services Long Island**

575 Broad Hollow Rd, Melville, NY 11747

Connecticut Certification #: PH-0435

Delaware Certification # NY 10478

Maryland Certification #: 208

Massachusetts Certification #: M-NY026

New Hampshire Certification #: 2987

New Jersey Certification #: NY158

New York Certification #: 10478 Primary Accrediting Body

Pennsylvania Certification #: 68-00350

Rhode Island Certification #: LAO00340

Virginia Certification # 460302

---

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: HUGHES ELEMENTARY 1/19

Pace Project No.: 70284327

<b>Sample: HUGHES 4</b>		<b>Lab ID: 70284327001</b>	Collected: 01/09/24 06:47	Received: 01/16/24 08:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		01/18/24 11:24	7439-92-1	

<b>Sample: HUGHES 6</b>		<b>Lab ID: 70284327002</b>	Collected: 01/09/24 06:48	Received: 01/16/24 08:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		01/18/24 11:33	7439-92-1	

<b>Sample: HUGHES 8</b>		<b>Lab ID: 70284327003</b>	Collected: 01/09/24 06:51	Received: 01/16/24 08:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		01/18/24 11:36	7439-92-1	

<b>Sample: HUGHES 9</b>		<b>Lab ID: 70284327004</b>	Collected: 01/09/24 06:52	Received: 01/16/24 08:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		01/18/24 11:39	7439-92-1	

<b>Sample: HUGHES 10</b>		<b>Lab ID: 70284327005</b>	Collected: 01/09/24 06:53	Received: 01/16/24 08:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		01/18/24 11:42	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: HUGHES ELEMENTARY 1/19

Pace Project No.: 70284327

<b>Sample: HUGHES 15</b>		<b>Lab ID: 70284327006</b>	Collected: 01/09/24 06:58	Received: 01/16/24 08:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		01/18/24 11:49	7439-92-1	

<b>Sample: HUGHES 16</b>		<b>Lab ID: 70284327007</b>	Collected: 01/09/24 06:59	Received: 01/16/24 08:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		01/18/24 11:52	7439-92-1	

<b>Sample: HUGHES 17</b>		<b>Lab ID: 70284327008</b>	Collected: 01/09/24 07:00	Received: 01/16/24 08:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		01/18/24 11:55	7439-92-1	

<b>Sample: HUGHES 19</b>		<b>Lab ID: 70284327009</b>	Collected: 01/09/24 06:55	Received: 01/16/24 08:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		01/18/24 11:58	7439-92-1	

<b>Sample: HUGHES 20</b>		<b>Lab ID: 70284327010</b>	Collected: 01/09/24 06:56	Received: 01/16/24 08:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		01/18/24 11:59	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: HUGHES ELEMENTARY 1/19

Pace Project No.: 70284327

<b>Sample: HUGHES 21</b>		<b>Lab ID: 70284327011</b>	Collected: 01/09/24 06:57	Received: 01/16/24 08:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		01/18/24 12:01	7439-92-1	

<b>Sample: HUGHES 30</b>		<b>Lab ID: 70284327012</b>	Collected: 01/09/24 07:02	Received: 01/16/24 08:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		01/18/24 12:09	7439-92-1	

<b>Sample: HUGHES 31</b>		<b>Lab ID: 70284327013</b>	Collected: 01/09/24 07:03	Received: 01/16/24 08:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		01/18/24 12:13	7439-92-1	

<b>Sample: HUGHES 37</b>		<b>Lab ID: 70284327014</b>	Collected: 01/09/24 07:06	Received: 01/16/24 08:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	2.1	ug/L	1.0	1		01/18/24 12:18	7439-92-1	

<b>Sample: HUGHES 40</b>		<b>Lab ID: 70284327015</b>	Collected: 01/09/24 07:07	Received: 01/16/24 08:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		01/18/24 12:19	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: HUGHES ELEMENTARY 1/19

Pace Project No.: 70284327

<b>Sample: HUGHES 41</b>		<b>Lab ID: 70284327016</b>	Collected: 01/09/24 07:09	Received: 01/16/24 08:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		01/18/24 12:21	7439-92-1	

<b>Sample: HUGHES 48</b>		<b>Lab ID: 70284327017</b>	Collected: 01/09/24 07:11	Received: 01/16/24 08:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		01/18/24 12:25	7439-92-1	

<b>Sample: HUGHES 58</b>		<b>Lab ID: 70284327018</b>	Collected: 01/09/24 07:13	Received: 01/16/24 08:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		01/18/24 12:27	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### QUALITY CONTROL DATA

Project: HUGHES ELEMENTARY 1/19

Pace Project No.: 70284327

QC Batch:	334390	Analysis Method:	EPA 200.8
QC Batch Method:	EPA 200.8	Analysis Description:	200.8 MET No Prep Drinking Water
		Laboratory:	Pace Analytical Services - Melville
Associated Lab Samples:	70284327001, 70284327002, 70284327003, 70284327004, 70284327005, 70284327006, 70284327007, 70284327008, 70284327009, 70284327010, 70284327011		

METHOD BLANK:	1718333	Matrix:	Water
Associated Lab Samples:	70284327001, 70284327002, 70284327003, 70284327004, 70284327005, 70284327006, 70284327007, 70284327008, 70284327009, 70284327010, 70284327011		

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	01/18/24 11:17	

LABORATORY CONTROL SAMPLE:	1718334					
Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	50.9	102	85-115	

MATRIX SPIKE SAMPLE:	1718336						
Parameter	Units	70284326022 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	34.9	50	78.7	88	70-130	

MATRIX SPIKE SAMPLE:	1718338						
Parameter	Units	70284327001 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	<1.0	50	53.2	106	70-130	

SAMPLE DUPLICATE:	1718335					
Parameter	Units	70284326022 Result	Dup Result	RPD	Qualifiers	
Lead	ug/L	34.9	35.1	1		

SAMPLE DUPLICATE:	1718337					
Parameter	Units	70284327001 Result	Dup Result	RPD	Qualifiers	
Lead	ug/L	<1.0	<1.0			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



**QUALITY CONTROL DATA**

Project: HUGHES ELEMENTARY 1/19

Pace Project No.: 70284327

QC Batch:	334391	Analysis Method:	EPA 200.8
QC Batch Method:	EPA 200.8	Analysis Description:	200.8 MET No Prep Drinking Water
		Laboratory:	Pace Analytical Services - Melville
Associated Lab Samples:	70284327012, 70284327013, 70284327014, 70284327015, 70284327016, 70284327017, 70284327018		

METHOD BLANK: 1718339 Matrix: Water  
 Associated Lab Samples: 70284327012, 70284327013, 70284327014, 70284327015, 70284327016, 70284327017, 70284327018

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	01/18/24 12:03	

LABORATORY CONTROL SAMPLE: 1718340

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	51.0	102	85-115	

MATRIX SPIKE SAMPLE: 1718342

Parameter	Units	70284327012 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	<1.0	50	51.0	101	70-130	

MATRIX SPIKE SAMPLE: 1718344

Parameter	Units	70284327013 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	<1.0	50	51.5	103	70-130	

SAMPLE DUPLICATE: 1718341

Parameter	Units	70284327012 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	<1.0	<1.0		

SAMPLE DUPLICATE: 1718343

Parameter	Units	70284327013 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	<1.0	<1.0		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

**REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.





## QUALIFIERS

Project: HUGHES ELEMENTARY 1/19

Pace Project No.: 70284327

---

### DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

TNTC - Too Numerous To Count

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit - The lowest concentration value that meets project requirements for quantitative data with known precision and bias for a specific analyte in a specific matrix.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Reported results are not rounded until the final step prior to reporting. Therefore, calculated parameters that are typically reported as "Total" may vary slightly from the sum of the reported component parameters.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: HUGHES ELEMENTARY 1/19

Pace Project No.: 70284327

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
70284327001	HUGHES 4	EPA 200.8	334390		
70284327002	HUGHES 6	EPA 200.8	334390		
70284327003	HUGHES 8	EPA 200.8	334390		
70284327004	HUGHES 9	EPA 200.8	334390		
70284327005	HUGHES 10	EPA 200.8	334390		
70284327006	HUGHES 15	EPA 200.8	334390		
70284327007	HUGHES 16	EPA 200.8	334390		
70284327008	HUGHES 17	EPA 200.8	334390		
70284327009	HUGHES 19	EPA 200.8	334390		
70284327010	HUGHES 20	EPA 200.8	334390		
70284327011	HUGHES 21	EPA 200.8	334390		
70284327012	HUGHES 30	EPA 200.8	334391		
70284327013	HUGHES 31	EPA 200.8	334391		
70284327014	HUGHES 37	EPA 200.8	334391		
70284327015	HUGHES 40	EPA 200.8	334391		
70284327016	HUGHES 41	EPA 200.8	334391		
70284327017	HUGHES 48	EPA 200.8	334391		
70284327018	HUGHES 58	EPA 200.8	334391		

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.







881

UCCSD

Client: Hughes Elementary 19 P Profile #: \_\_\_\_\_ of \_\_\_\_\_

Work ID: UCCSD COC Page \_\_\_\_\_ of \_\_\_\_\_

Use Point Number Spreadsheet

Add SCLOGFO to first sample for field charge

Multiday Project

COC Line Item	Matrix	Material	Volume	Container	Notes
1					
2					
3					
4					
5					
6					
7					
8					
9					
10					
11					
12					

Container Codes	Glass	Plastic	Misc.
VG9U	40mL unpres clear vial	BP4U	120mL Collform Na Thio
VG9C	40mL Ascorbic+HCl clear vial	BP3U	Terracore Kit
VG9H	40mL HCl clear vial	BP2U	20z Unpreserved Jar
VG9S	40mL Sulfuric clear vial	BP1U	4oz Unpreserved Jar
DG9T	40mL Na Thiosulfate vial	BP4N	8oz Unpreserved Jar
DG9Y	40mL Citrate-Na Thiosulfate	BP2N	16oz Unpreserved Jar
DG9P	40mL amber vial - TSP	BP3N	Ziplock Bag
DG9A	Ascorbic/Maleic Acid 40mL	BP3S	Tedlar Bag
DG8T	Na Thio 60mL Vial	BP2S	1L HCl Clear Glass
DG9S	Ammonium O/CUSO4 40mL	BP3C	General
CG1U	1L Unpres Jar (Con Ed)	BP3T	Wipe
WG9Q	8oz clear soil jar	BP3S	250mL Ammonium Acetate
WG4O	4oz clear soil jar	BP1Z	1L NaOH, Zn Acetate
		BP1N	1L HNO3 plastic
		BP1B	Na Thiosulfate Amber Bottle

WT	Matrix
SL	Water
NAL	Solid
OL	Non-aqueous Liquid
WP	OIL
DW	Wipe
	Drinking Water

BP1U	JOC
BP1U	1L unpreserved plastic
BP3N*	250mL HNO3 plastic
BP3C	250mL Sodium Hydroxide
AG2U	500mL unpres amber-glass

\* Can also be a BP4N

VG9T	SO4
VG9T	40mL Na Thio amber vial
DG9Y	40mL Ascorbic acid/maleic acid vials
DG8T	Chtrate/Na Thiosulfate 40mL
DG9M	Na Thiosulfate 60mL vial
AG3U	MonoChlorate/Na Thio 60mL
AG3T	250mL unpres amber glass
BP1B	Na Thiosulfate 250mL bottle
AG1T	Na Thiosulfate 1L Amber
AG1A	525.3 Chemical Blend

Sender Initials \_\_\_\_\_

Additional Comments \_\_\_\_\_

**WO#: 70284327**  
 PM: JL1 Due Date: 01/24/24  
 CLIENT: UCCSD

UCCSD

**WO#: 70284327**  
 PM: JL1 Due Date: 01/24/24  
 CLIENT: UCCSD

Client Name: \_\_\_\_\_ Project # \_\_\_\_\_  
 Courier:  Fed Ex  UPS  USPS  Client  Commercial  Pac  Other \_\_\_\_\_  
 Tracking #: \_\_\_\_\_

Custody Seal on Cooler/Box Present:  Yes  No Seals intact:  Yes  No Temperature Blank Present:  Yes  No  
 Packing Material:  Bubble Wrap  Bubble Bags  Ziplo  Non  Other Type of Ice: Wet Blue None  
 Thermometer Used: 7H211 Correction Factor: 20.4  Samples on ice, cooling process has begun  
 Cooler Temperature(°C): 8.7 Cooler Temperature Corrected(°C): 9.1 Date/Time 5035A kits placed in freezer \_\_\_\_\_  
 Temp should be above freezing to 6.0°C

USDA Regulated Soil ( N/A, water sample)  
 Did samples originate in a quarantine zone within the United States: AL, AR, CA, FL, GA, ID, LA, MS, NC, NM, NY, OK, OR, SC, TN, TX, or VA (check map)?  Yes  No  
 Did samples originate from a foreign source including Hawaii and Puerto Rico)?  Yes  No

If Yes to either question, fill out a Regulated Soil Checklist (ENV-FRM-MELV-0076) and include with SCUR/COC paperwork.

Date and Initials of person examining contents: AS 1/16/24

		COMMENTS:
Chain of Custody Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	1.
Chain of Custody Filled Out:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	2.
Chain of Custody Relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	3.
Sampler Name & Signature on COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	5.
Short Hold Time Analysis (<72hr):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	6.
Rush Turn Around Time Requested	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	7.
Sufficient Volume: (Triple volume provided for MS/MSD)	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	8.
Correct Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	9.
-Pace Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	
Containers Intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	10.
Filtered volume received for Dissolved tests	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11. Note: if sediment is visible in the dissolved container.
Sample Labels match COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	12.
-Includes date/time/ID/Analysis Matrix:	SL <input checked="" type="checkbox"/> WT <input type="checkbox"/> OIL <input type="checkbox"/> OTHER	

Date and Initials of person checking preservation: AS 1/16/24

All containers needing preservation have been	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	13. <input type="checkbox"/> HNO <sub>3</sub> <input type="checkbox"/> H <sub>2</sub> SO <sub>4</sub> <input type="checkbox"/> NaOH <input type="checkbox"/> HCl
pH paper Lot # <u>U182UA</u>		Sample #
All containers needing preservation are found to be in compliance with method recommendation? (HNO <sub>3</sub> , H <sub>2</sub> SO <sub>4</sub> , HCl, NaOH>9 Sulfide, <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A NAOH>12 Cyanide)		
Exceptions: VOA, Coliform, TOC/DOC, Oil and Grease, DRO/8015 (water).		Initial when completed: Lot # of added preservative: Date/Time preservative added:
Per Method, VOA pH is checked after analysis		
Samples checked for dechlorination:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	14.
KI starch test strips Lot #		Positive for Res. Chlorine? Y N
Residual chlorine strips Lot #		15. Positive for Sulfide? Y N
SM 4500 CN samples checked for sul	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	16.
Lead Acetate Strips Lot #		17.
Headspace in VOA Vials (>6mm):	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Trip Blank Present:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Trip Blank Custody Seals Present	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	

DATE AND INITIALS OF PERSON COMPLETING SECOND REVIEW: MS 1/16/24

Client Notification/ Resolution: \_\_\_\_\_ Field Data Required? Y / N  
 Person Contacted: \_\_\_\_\_ Date/Time: \_\_\_\_\_  
 Comments/ Resolution: \_\_\_\_\_

\* PM (Project Manager) review is documented electronically in LIMS.